Index to volume 104

Author Index*

A

Abbrecht PH: *see* Covell et al, 272
Aihara M, Cooper HA Wagner RH: A quantitative method for studying platelet adhesion to collagen, 758
Almenoff J, Teirstein AS, Thornton JC, Orlowski M: Identification of a thermolysin-like metalloendopeptidase in serum: Activity in normal subjects and in patients with sarcoidosis, 420
Amery A: *see* Lijnen et al, 677
Amos MA: *see* Werder et al, 399
Aurbach GD: *see* Hughes et al, 93
Aynedjian HS: *see* Zimmerman et al, 720

B

Baehner RL: *see* Wolach et al, 284
Baltes LA: *see* Zager and Baltes, 511
Bank N: *see* Zimmerman et al, 720
Barker SA: *see* Tomana et al, 137
Barnes DW: *see* Shaffer et al, 783
Basu MK, Lee MM, Maniatis A, Bertles JF: Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
Becker MA: *see* Losman et al, 932
Bennett WM: *see* Quarum et al, 104
Berkow RL, Straneva JE, Bruno E, Beyer GS, Burgess JS, Hoffman R: Isolation of human megakaryocytes by density centrifugation and counterflow centrigual elutriation, 811
Bertha BG, Folts JD: Inhibition of epinephrine-exacerbated coronary thrombus formation by prostacyclin in the dog, 204
Bertles JF: *see* Basu et al, 712
Bertolatus JA, Foster SJ, Hunsicker LG: Stainable glomerular basement membrane polyanions and renal hemodynamics during hexadimethrine-induced proteinuria, 632
Beyer GS: *see* Berkow et al, 811
Billadello JJ: *see* Hashimoto et al, 470
Billett HH, Jenkins CSP, Maimon J, Spaet TH, Puszkin EG: Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534
Binder BR: *see* Huber et al, 684
Bonati M: *see* Cerletti et al, 869
Bonjour J-P: *see* McCredie et al, 354
Bonner RF: *see* Fratantoni et al, 620
Bouma BN: *see* Zambraski et al, 549
Boxer LA: *see* Wolach et al, 284
Boyle JM, Neiderhiser DH, Dworken HJ: Duodenogastric reflux in patients with gastric ulcer disease, 14
Brain H: *see* Kelton et al, 606
Brashear RE: *see* Lumeng et al, 59
Brewer GJ: *see* Wetterstroem et al, 589
Brezezinski A: *see* Matzner and Brezezinski, 227
Britt S: *see* Galant and Britt, 322
Brunner DB: *see* Nussberger et al, 304
Bruno E: *see* Berkow et al, 811
Budzynski AZ: *see* Malinconico et al, 44
Burgess JS: *see* Berkow et al, 811
Burnner HR: *see* Nussberger et al, 304
Busse WW: *see* Steiner et al, 949
Butler C: *see* Chick et al, 180

C

Cantor JO, Osman M, Keller S, Cerreta JM, Mandl I, Turino GM: Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Caro J, Erslev AJ, Hickey J, Miller OP: Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922
Carroll RC, Lockhart MS, Taylor FB Jr: Effect of crosslinking on the structure of solubilized fibrin degradation products in whole plasma, 695
Carter CJ: *see* Kelton et al, 606
Catalfamo JL: *see* Zabinski et al, 236
Cerletti C, Bonati M, Del Maschio A, Galletti F, Dejana E, Tognoni G, de Gaetano G: Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869
Cerreta JM: *see* Cantor et al, 384
Chao J: *see* Shimamoto et al, 731
Chervenick P: *see* Zuravleff et al, 878
Chick TW, Goldblum SE, Smith ND, Butler C, Skipper BJ, Winkelstein JA, Cork LC, Reed WP: Pneumococcal-induced-pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180
Coates TD: *see* Wolach et al, 284
Cohn JN: *see* Francis et al, 393
Cojocel C: *see* Ho et al, 125
Compton MC: *see* Lumeng et al, 59
Cooke CR: *see* Hulter et al, 854
Cooper HA: *see* Aihara et al, 758
Cork LC: *see* Chick et al, 180
Cosio FG: Human fibronectin is an opsonin for IgG antibody-coated sheep erythrocytes, 613
Covell DG, Abbrecht PH, Powers WF: Changes in the pharmacology of warfarin during long-term administration in dogs, 272

* January, p 1-160; February, p 161-332; March, p 333-490; April, p 491-652; May, p 653-818; June, p 819-990.

Curtis JR: *see* Ireland et al, 643

D

de Gaetano G: *see* Cerletti et al, 869
Dejana E: *see* Cerletti et al, 869
Del Maschio A: *see* Cerletti et al, 869
Derkx FHM, Bouma BN, Schalekamp MADH: Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560
Diven WF: *see* Zuravleff et al, 878
Donaldson VH: When things are not as they seem, 491
Dunn MJ: *see* Zambraski and Dunn, 549
Dworken HJ: *see* Boyle et al, 14

E

Edwards TM: *see* Grantham and Edwards, 333
Eichner ER: *see* Lawrence et al, 944
Eliahou HE: *see* Finn et al, 193
Erslev AJ: *see* Caro et al, 922

F

Fagard R: *see* Lijnen et al, 677
Fernandez-Repollet E: *see* Finn et al, 193
Finn WF, Fernandez-Repollet E, Goldfarb D, Iaina A, Eliahou HE: Attenuation of injury due to unilateral renal ischemia: Delayed effects of contralateral nephrectomy, 193
Floyd RA, Kuo CY, Yoo TJ, Song A, Postlethwaite AE, Matnardi C: Protease inhibition of natural killer (NK) and antibody-dependent cell-mediated cytoxicity (ADCC) activities, 215
Flick MR: *see* Webster et al, 22
Foley TP: *see* Shaffer et al, 783
Folts JD: *see* Bertha and Folts, 204
Foster SJ: *see* Bertolatus et al, 632
Fozzard HA: The state of cardiac electrocardiophysiology—1983, 833
Francis GS, Goldsmith SR, Pierpont G, Cohn JN: Free and conjugated plasma catecholamines in patients with congestive heart failure, 393
Fratantoni JC, Poindexter BJ, Bonner RF: Quantitative assessment of platelet morphology by light scattering: A potential method for the evaluation of platelets for transfusion, 620
Frohman LA: Growth hormone–releasing factor: A neuroendocrine perspective, 819
Fujimaki M: *see* Saruta et al, 848
Furcht LT: *see* Vercellotti et al, 34

G

Galant SP, Britt S: Uncoupling of the beta adrenergic receptor as a mechanism of in vitro neutrophil desensitization, 322
Galletti F: *see* Cerletti et al, 869
Garner LC: *see* Tomana et al, 137
Gavaler JS: *see* Tarter et al, 776
Gerich JE: Assessment of insulin resistance and its role in non–insulin-dependent diabetes mellitus, 497
Gilbert DN: *see* Loveless et al, 294
Gilbert DN: *see* Quarum et al, 104
Gilbert HS, Roth EF Jr, Ginsberg H: Increased erythrocyte susceptibility to lipid peroxidation in myeloproliferative disorders, 6
Ginsberg H: *see* Gilbert et al, 6
Goldberg RE: *see* Rao et al, 82
Goldblum SE: *see* Chick et al, 180
Goldfarb D: *see* Finn et al, 193
Goldsmith SR: *see* Francis et al, 393
Goldstein IM: *see* Webster et al, 22
Goodfriend TL: : *see* Simpson and Goodfriend, 255
Goodman WG: Short-term aluminum administration in the rat: Reductions in bone formation without osteomalacia, 749
Grace AM: *see* Hashimoto et al, 470
Grady RW: *see* Hershko et al, 337
Grantham JJ, Edwards RM: Natriuretic hormones: At last, bottled in bond? 333
Groesenekin D: *see* Lijnen et al, 677
Gross RW: *see* Hashimoto et al, 470

H

Haeberli A: *see* Rosenmund et al, 524
Hall CA: The uptake of vitamin B_{12} by human lymphocytes and the relationships to the cell cycle, 70
Hanson SR: *see* Malpass et al, 894
Harker LA: *see* Malpass et al, 894
Hashimoto H, Grace AM, Billadello JJ, Gross RW, Strauss AW, Sobel BE: Nondenaturing quantification of subforms of canine MM creatine kinase isoenzymes (isoforms) and their interconversion, 470
Hecker S: *see* Losman et al, 932
Hegedus AM: *see* Tarter et al, 776
Henning HV: *see* Schauder et al, 597
Herbertz L: *see* Schauder et al, 597
Hershko C, Grady RW, Link G: Phenolic ethylenediamine derivatives: A study of orally effective iron chelators, 337
Hickey J: *see* Caro et al, 922
Ho S-C, Izumi H, Cojocel C, Michelakis AM: Role of kidney and liver in degradation of circulating submaxillary renin in mice, 125
Hoefs JC, Reynolds TB, Pare P, Sakimura I: A new method for the measurement of intrahepatic shunts, 446
Hoffman R: *see* Berkow et al, 811
Hollander D, Tarnawski H: Influence of aging on vitamin D absorption and unstirred water layer dimensions in the rat, 462
Holme S, Murphy S: Studies of the platelet density abnormality in myeloproliferative disease, 373
Houghton DC: *see* Quarum et al, 104
Huber K, Kirchheimer J, Binder BR: Characterization of a specific anti–human urokinase antibody: Development of a sensitive competition radioimmunoassay for urokinase antigen, 684
Hughes WS, Aurbach GD, Sharp ME, Marx SJ: The effect of the bicarbonate anion on serum ionized calcium concentration in vitro, 93

Hugli TE: *see* Wolach et al, 284
Hulter HN, Toto RD, Sebastian A, Mackie S, Cooke CR, Wilson TE, Melby JC: Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
Hulter HN: *see* Maher et al, 432
Hunsicker LG: *see* Bertolatus et al, 632
Hurwitz C: *see* Rosano et al, 313

I

Iaina A: *see* Finn et al, 193
Ireland H, Lane DA, Curtis JR: Objective assessment of heparin requirements for hemodialysis in humans, 643
Izumi H: *see* Ho et al, 125

J

Jacob HS: *see* Vercellotti et al, 34
Jen CJ, McIntire LV: Characteristics of shear-induced aggregation in whole blood, 115
Jenkins CSP: *see* Billett et al, 534
Jenkinson SC, Long RJ, Lawrence RA: Endotoxin protects selenium-deficient rats from hyperoxia, 143
Jie AFH: *see* Kluft et al, 408
Jones JW: *see* Maher et al, 432

K

Kahn T: *see* Sugarman et al, 912
Kaji DM: *see* Sugarman et al, 912
Kalovidouris AE, Meiss RA: Human mononuclear cell factors suppress contractility of isolated mouse soleus muscle, 886
Kang AH: *see* Postlethwaite and Kang, 506
Kaplan AP: *see* Shimamoto et al, 731
Kaplan J: *see* Ward et al, 246
Katz JB: *see* Malinconico et al, 44
Kaye KW: *see* Wilson et al, 905
Keller S: *see* Cantor et al, 384
Kelton JG, Brain H, Sheridan D, Powers PJ, Turpie AG, Carter CJ: Clinical usefulness of testing for a heparin-dependent platelet-aggregating factor in patients with suspected heparin-associated thrombocytopenia, 606
Kirchheimer J: *see* Huber et al, 684
Kluft C, Wijngaards G, Jie AFH: Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408
Kohlhepp SJ: *see* Loveless et al, 294
Konishi K: *see* Saruta et al, 848
Kurtz I: *see* Maher et al, 432
Kushner JP: *see* Ward et al, 246
Kuo CY: *see* Floyd et al, 215

L

Lader E: *see* Rothenberg et al, 959
Lane DA: *see* Ireland et al, 643
Langenbeck U: *see* Schauder et al, 597
Lawrence RA: *see* Jenkinson et al, 143
Lawrence VA, Loewenstein JE, Eichner ER: Aspirin and folate binding: In vivo and in vitro studies of serum binding and urinary excretion of endogenous folate, 944
Lee MM: *see* Basu et al, 712
Li T-K: *see* Lumeng et al, 59
Lijnen P, Groesenekin D, Fagard R, Staessen J, Amery A: Effect of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677
Link G: *see* Hershko et al, 337
Lipschitz DA: *see* Udupa and Lipschitz, 574
Lipschitz DA: *see* Udupa and Lipschitz, 581
Lockhart MS: *see* Carroll et al, 695
Loewenstein JE: *see* Lawrence et al, 944
Long RJ: *see* Jenkinson et al, 143
Losman MJ, Hecker S, Woo S, Becker MA: Diagnostic evaluation of phosphoribosylpyrophosphate synthetase activities in hemolysates, 932
Loveless MO, Kohlhepp SJ, Gilbert DN: The influence of aminoglycoside antibiotics on the in vitro function of rat liver ribosomes, 294
Lumeng L, Schenker S, Li T-K, Brashear RE, Compton MC: Clearance and metabolism of plasma pyridoxal 5′-phosphate in the dog, 59
Lussenhop D: *see* Vercellotti et al, 34

M

McCarroll DR, Ruggeri ZM, Montgomery RR: Correlation between circulating levels of von Willebrand's antigen II and von Willebrand factor: Discrimination between type I and type II von Willebrand's disease, 704
McCarron DA: *see* Quarum et al, 104
McCarthy JB: *see* Vercellotti et al, 34
McCredie DA, Troehler U, Bonjour J-P: In vivo determination of intestinal calcium absorption, with scandium-47 used as marker, 354
McGinnis P: *see* Rao et al, 792
McIntire LV: *see* Jen and McIntire, 115
Mackie S: *see* Hulter et al, 854
Maher T, Schambelan M, Kurtz I, Hulter HN, Jones JW, Sebastian A: Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432
Maimon J: *see* Billett et al, 534
Mainardi C: *see* Floyd et al, 215
Malinconico SM, Katz JB, Budzynski AZ: Hementin: Anticoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44
Malis CD, Racusen LC, Solez K, Whelton A: Nephrotoxicity of lysine and of a single dose of aminoglycoside in rats given lysine, 660
Malpass TW, Savage B, Hanson SR, Slichter SJ, Harker LA: Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Mandl I: *see* Cantor et al, 384
Maniatis A: *see* Basu et al, 712

Marcoullis GP: *see* Rothenberg et al, 959
Margolius HS: *see* Shimamoto et al, 731
Martin RS, Small DM: Physiochemical characterization of the urinary lipid from humans with nephrotic syndrome, 798
Marx SJ: *see* Hughes et al, 93
Matzner Y, Brezezinski A: A C5a inhibitor in peritoneal fluid, 227
Mayfield RK: *see* Shimamoto et al, 731
Meiss RA: *see* Kalovidouris and Meiss, 886
Melby JC: *see* Hulter et al, 854
Michelakis AM: *see* Ho et al, 125
Michels LD, O'Donnell MP: Glomerular hemodynamic and structural correlations in long-term experimental diabetic rats, 840
Miller OP: *see* Caro et al, 922
Mitchinson A: *see* Wetterstroem et al, 589
Moldow CF: *see* Vercellotti et al, 34
Montgomery RR: *see* McCarroll et al, 704
Mori M, Wilber JF: Sodium ethylmercurithiosalicylate (Merthiolate) inhibition of antigen-antibody interactions in radioimmunoassay systems, 223
Muder RR: *see* Zuravleff et al, 878
Murphy S: *see* Holme and Murphy, 373

N

Near K: *see* Wetterstroem et al, 589
Neiderhiser DH: *see* Boyle et al, 14
Nielsen AH: *see* Werder et al, 399
Nussberger J, Brunner DB, Waeber B, Burnner HR: Measurement of low angiotensin concentrations after ethanol and Dowex extraction procedures, 304

O

O'Donnell MP: *see* Michels and O'Donnell, 840
Okeda T: *see* Yokogawa et al, 768
Ono J: *see* Yokogawa et al, 768
Orlowski M: *see* Almenoff et al, 420
Osman M: *see* Cantor et al, 384

P

Pare P: *see* Hoefs et al, 446
Parhami N: *see* Rosano et al, 313
Patak RV: *see* Ridge et al, 363
Patel AR: *see* Rao et al, 792
Patel MK: *see* Rao et al, 792
Peterson PK: *see* Vercellotti et al, 34
Pierpont G: *see* Francis et al, 393
Poindexter BJ: *see* Fratantoni et al, 620
Postlethwaite AE: *see* Floyd et al, 215
Postlethwaite AE, Kang AH: Pathogenesis of progressive systemic sclerosis, 506
Powers PJ: *see* Kelton et al, 606
Powers WF: *see* Covell et al, 272
Pratt A: *see* Steiner et al, 949
Prchal JT: *see* Tomana et al, 137
Puchelle E, Tournier JM, Zahm JM, Sadoul P: Rheology of sputum collected by a simple technique limiting salivary contamination, 347
Puszkin EG: *see* Billett et al, 534

Q

Quarum ML, Houghton DC, Gilbert DN, McCarron DA, Bennett WM: Increasing dietary calcium moderates experimental gentamicin neophrotoxicity, 104

R

Racusen LC: *see* Malis et al, 660
Rao AK, Goldberg RE, Walsh PN: Platelet coagulant activities in diabetes mellitus. Evidence for a relationship between platelet coagulant hyperactivity and platelet volume, 82
Rao KRP, Patel AR, McGinnis P, Patel MK: Iron stores in adults with sickle cell anemia, 792
Ratnoff OD: Some complications of the therapy of classic hemophilia, 653
Ray FA: *see* Ward et al, 246
Raymond SL: *see* Zabinski et al, 236
Reed WP: *see* Chick et al, 180
Reid LM: The lung and its receptors, 161
Reynolds TB: *see* Hoefs et al, 446
Ridge S, Patak RV, Savin VJ: Decreased ultrafiltration coefficient of glomeruli isolated from volume-depleted rats, 363
Rinderknecht SB: *see* Sharath et al, 739
Rohrback MS, Rolstad RA, Tracy PB, Russell JA: Platelet 5-hydroxytryptamine release and aggregation promoted by cotton bracts tannin, 152
Rolstad RA: *see* Rohrbach et al, 152
Rosano CL, Parhami N, Hurwitz C: Serum levels of C1 subunits in rheumatoid arthritis, 313
Rosenmund A, Haeberli A, Straub PW: Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524
Roth EF Jr: *see* Gilbert et al, 6
Rothenberg SP, Marcoullis GP, Schwarz S, Lader E: Measurement of cyanocobalamin in serum by a specific radioimmunoassay, 959
Ruggeri ZM: *see* McCarroll et al, 704
Russell JA: *see* Rohrbach et al, 152

S

Sablay LB: *see* Zimmerman et al, 720
Sadoul P: *see* Puchelle et al, 347
Saito I: *see* Saruta et al, 848
Sakimura I: *see* Hoefs et al, 446
Saruta T, Fujimaki M, Senba S, Saito I, Konishi K: Aldosterone and other mineralocorticoids in Bartter's syndrome, 848
Savage B: *see* Malpass et al, 894
Savin VJ: *see* Ridge et al, 363
Schade RR: *see* Tarter et al, 776
Schalekamp MADH: *see* Zambraski et al, 549
Schambelan M: *see* Maher et al, 432
Schauder P, Schröder K, Herbertz L, Henning HV, Langenbeck U: Oral administration of α-ketoisovaleric acid or valine in humans: Blood kinetics and biochemical effects, 597
Schenker S: *see* Lumeng et al, 59

Schröder K: *see* Schauder et al, 597
Schwarz S: *see* Rothenberg et al, 959
Sebastian A: *see* Hulter et al, 854
Sebastian A: *see* Maher et al, 432
Senba S: *see* Saruta et al, 848
Shaffer MC, Foley TP, Barnes DW: Quantitation of spreading factor in human biologic fluids, 783
Sharath MD, Rinderknecht SB, Weiler JM: Human immunoglobulin biosynthesis in a serum-free medium, 739
Sharp ME: *see* Hughes et al, 93
Sheridan D: *see* Kelton et al, 606
Shimamoto K, Mayfield RK, Margolius HS, Chao J, Stroud W, Kaplan A: Immunoreactive tissue kallikrein in human serum, 731
Simpson RU, Goodfriend TL: Angiotensin and prostagiandin interactions in cultured kidney tubules, 255
Skalka HW: *see* Tomana et al, 137
Skipper BJ: *see* Chick et al, 180
Slichter SJ: *see* Malpass et al, 894
Small DM: *see* Martin and Small, 798
Smith ND: *see* Chick et al, 180
Sobel BE: *see* Hashimoto et al, 470
Solez K: *see* Malis et al, 660
Song A: *see* Floyd et al, 215
Spaet TH: *see* Billett et al, 534
Staessen J: *see* Lijnen et al, 677
Starzl TE: *see* Tarter et al, 776
Steer RC: *see* Wilson et al, 905
Stein RM: *see* Sugarman et al, 912
Steiner RD, Pratt A, Busse WW: Cytochalasin B facilitates inhibition of human polymorphonuclear leukocyte generation of superoxide by verapamil, 949
Straneva JE: *see* Berkow et al, 811
Straub PW: *see* Rosenmund et al, 524
Strauss AW: *see* Hashimoto et al, 470
Stroud W: *see* Shimamoto et al, 731
Sugarman A, Kaji DM, Stein RM, Kahn T: Extrarenal potassium transport and the β_2-adrenergic system, 912

T

Takaki R: *see* Yokogawa et al, 768
Tarnawski H: *see* Hollander and Tarnawski, 462
Tarter RE, Van Thiel DH, Hegedus AM, Schade RR, Gavaler JS, Starzl TE: Neuropsychiatric status after liver transplantation, 776
Taylor FB Jr: *see* Carroll et al, 695
Teirstein AS: *see* Almenoff et al, 420
Thornton JC: *see* Almenoff et al, 420
Tognoni G: *see* Cerletti et al, 869
Tomana M, Prchal JT, Garner LC, Skalka HW, Barker SA: Gas chromatographic analysis of lens monosaccharides, 137
Toto RD: *see* Hulter et al, 854
Tournier JM: *see* Puchelle et al, 347
Tracy PB: *see* Rohrback et al, 152
Troehler U: *see* McCredie et al, 354
Turino GM: *see* Cantor et al, 384
Turpie AG: *see* Kelton et al, 606

U

Udupa KB, Lipschitz DA: Erythropoiesis in the aged mouse: I. Response to stimulation in vivo, 574
Udupa KB, Lipschitz DA: Erythropoiesis in the aged mouse: II. Response to stimulation in vitro, 581

V

Van Thiel DH: *see* Tarter et al, 776
Vercellotti GM, Lussenhop D, Peterson PK, Furcht LT, McCarthy JB, Jacob HS, Moldow CF: Bacterial adherence to fibronectin and endothelial cells: A possible mechanism for bacterial tissue tropism, 34

W

Waeber B: *see* Nussberger et al, 304
Wagner RH: *see* Aihara et al, 758
Walsh PN: *see* Rao et al, 82
Ward JH, Kushner JP, Ray FA, Kaplan J: Transferrin receptor function in hereditary hemochromatosis, 246
Warth JA: *see* Wetterstroem et al, 589
Webster RO, Goldstein IM, Flick MR: Selective inhibition by phenytoin of chemotactic factor-stimulated neutrophil functions, 22
Weiler JM: *see* Sharath et al, 739
Werder AA, Amos MA, Nielsen AH, Wolfe GH: Comparative effects of germfree and ambient environments on the development of cystic kidney disease in CFW_{wd} mice, 399
Wetterstroem N, Brewer GJ, Warth JA, Mitchinson A, Near K: Relationship of glutathione levels and Heinz body formation to irreversibly sickled cells in sickle cell anemia, 589
Whelton A: *see* Malis et al, 660
Wijngaards G: *see* Kluft et al, 408
Wilbur JF: *see* Mori and Wilber, 223
Wilson MJ, Steer RC, Kaye KW: Protein kinase activities in human prostatic secretion: Biochemical characterization and effect of prostatitis, 905
Wilson TE: *see* Hulter et al, 854
Winkelstein JA: *see* Chick et al, 180
Wolach B, Coates TD, Hugli TE, Baehner RL, Boxer LA: Plasma lactoferrin reflects granulocyte activation via complement in burn patients, 284
Wolfe GH: *see* Werder et al, 399
Woo S: *see* Losman et al, 932

Y

Yamaguchi K: *see* Yokogawa et al, 768
Yokogawa Y, Takaki R, Ono J, Okdea T, Yamaguchi K: Cryopreservation of pancreatic islet cells, 768

Yoo TJ: *see* Floyd et al, 215
Yu VL: *see* Zuravleff et al, 878

Z

Zabinski MP, Raymond SL, Catalfamo JL: Platelet adhesion to noncovalently immobilized collagen, 236
Zager RA, Baltes LA: Progressive renal insufficiency induces increasing protection against ischemic acute renal failure, 511
Zahm JM. *see* Puchelle et al, 347
Zambraski EJ, Dunn MJ: Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549
Zimmerman AL, Sablay LB, Aynedjian HS, Bank N: Increased peritoneal permeability in rats with alloxan-induced diabetes mellitus, 720
Zuravleff JJ, Chervenick P, Yu VL, Muder RR, Diven WF: Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *Pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878

Subject Index*

A

Acidosis
Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432

Adenosine diphosphate
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534

Adhesion
A quantitative method for studying platelet adhesion to collagen, 758

Aggregation
Characteristics of shear-induced aggregation in whole blood, 115
Clinical usefulness of testing for a heparin-dependent platelet aggregating factor in patients with suspected heparin-associated thrombocytopenia, 606

Aging
Erythropoiesis in the aged mouse: I. Response to stimulation in vivo, 574
Erythropoiesis in the aged mouse: II. Response to stimulation in vitro, 581
Influence of aging on vitamin D absorption and unstirred water layer dimensions in the rat, 462

Aldosterone
Aldosterone and other mineralcorticoids in Bartter's syndrome, 848

Alloxan
Increased peritoneal permeability in rats with alloxan-induced diabetes mellitus, 720

Aluminum
Short-term aluminum administration in the rat: Reductions in bone formation without osteomalacia, 749

Aminoglycoside
Influence of aminoglycoside antibiotics on the in vitro function of rat liver ribosomes, 294
Nephrotoxicity of lysine and a single dose of aminoglycoside in rats given lysine, 660

Anemia
Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
Iron stores in adults with sickle cell anemia, 792
Relationship of glutathione levels and Heinz body formation to irreversibly sickled cells in sickle cell anemia, 589

Angiotensin
Angiotensin and prostaglandin interactions in cultured kidney tubules, 255
Measurement of low angiotensin concentration after ethanol and Dowex extraction procedures, 304

Antibiotics
The influence of aminoglycoside antibiotics on the in vitro function of rat liver ribosomes, 294

Antibody
Characterization of a specific anti–human urokinase antibody: Devlopment of a sensitive competition radioimmunoassay for urokinase antigen, 684

Anticoagulant
Hementin: Anticoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44

Antigen
Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
Characterization of a specific anti–human urokinase antibody: Development of a sensitive competition radioimmunoassay for urokinase antigen, 684

Arthritis
Serum levels of Cl subunits in rheumatoid arthritis, 313

Aspirin
Aspirin and folate binding: In vivo and in vitro studies of serum binding and urinary excretion of endogenous folate, 944
Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869

B

Bacteria
Bacterial adherence to fibronectin and endothelial cells: A possible mechanism for bacterial tissue tropism, 34

Bartter's syndrome
Aldosterone and other mineralocorticoids in Bartter's syndrome, 848

Beta adrenergic
Extrarenal potassium transport and the β_2-adrenergic system, 912
Uncoupling of the beta adrenergic receptor as a mechanism of in vitro neutrophil desensitization, 322

Bicarbonate
The effect of the bicarbonate anion on serum ionized calcium concentration in vitro, 93

* January, p 1-160; February, p 161-332; March, p 333-490; April, p 491-652; May, p 653-818; June, p 819-990.

Bile duct
Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549
Binding
Aspiring and folate binding: In vivo and in vitro studies of serum binding and urinary excretion of endogenous folate, 944
Biosynthesis
Human immunoglobulin biosynthesis in a serum-free medium, 739
Bleeding time
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Bleomycin
Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Blood
Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524
Characteristics of shear-induced aggregation in whole blood, 115
Bone
Short-term aluminum administration in the rat: Reductions in bone formation without osteomalacia, 749
Burn
Plasma lactoferrin reflects granulocyte activation via complement in burn patients, 284

C

Calcium
Effect of the bicarbonate anion on serum ionized calcium concentration in vitro, 93
In vivo determination of intestinal calcium absorption, with scandium-47 used as marker, 354
Increasing dietary calcium moderates experimental gentamicin nephrotoxicity, 104
Canine
Nondenaturing quantification of subforms of canine MM creatine kinase isoenzymes (isoforms) and their interconversion, 470
Cardiac
The state of cardiac electrophysiology—1983, 833
Cardiovascular
Free and conjugated plasma catecholamines in patients with congestive heart failure, 393
Catecholamine
Free and conjugated plasma catecholamines in patients with congestive heart failure, 393
Cell cycle
The uptake of vitamin B_{12} by human lymphocytes and the relationships to the cell cycle, 70
Cell factors
Human mononuclear cell factors suppress contractility of isolated mouse soleus muscle, 886
Centrifugation
Isolation of human megakaryocytes by density centrifugation and counterflow centrigual elutriation, 811
Chelators
Phenolic ethylenediamine derivatives: A study of orally effective iron chelators, 337
Chemotactic factor
Selective inhibition by phenytoin of chemotactic factor–stimulated neutrophil functions, 22
Chromatography
Gas chromatographic analysis of lens monosaccharides, 137
Coagulant
Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524
Platelet coagulant activities in diabetes mellitus. Evidence for a relationship between platelet coagulant hyperactivity and platelet volume, 82
Collagen
Platelet adhesion to noncovalently immobilized collagen, 236
Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534
A quantitative method for studying platelet adhesion to collagen, 758
Complement
A C5a inhibitor in peritoneal fluid, 227
Plasma lactoferrin reflects granulocyte activation via complement in burn patients, 284
Pneumococcal-induced pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180
Serum levels of C1 subunits in rheumatoid arthritis, 313
Contractility
Human mononuclear cell factors suppress contractility of isolated mouse soleus muscle, 886
Coronary
Inhibition of epinephrine-exacerbated coronary thrombus formation by prostacyclin in the dog, 204
Cross-link
Effect of cross-linking on the structure of solubilized fibrin degradation products in whole plasma, 695
Cryopreservation
Cryopreservation of pancreatic islet cells, 768
Cyanocobalamin
The measurement of cyanocobalamin in serum by a specific radioimmunoassay, 959

Cytochalasin
Cytochalasin B facilitates the inhibition of human polymorphonuclear leukocyte generation of superoxide by verapamil, 949
Cytoskeleton
Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534
Cytoxicity
Protease inhibition of natural killer (NK) and antibody-dependent cell-mediated cytoxicity (ADCC) activities, 215

D

Dense granule
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Desmosine
Measurement of cross-linked elastin synthesis in bleomycine-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Diabetes
Assessment of insulin resistance and its role in non–insulin-dependent diabetes mellitus, 497
Glomerular hemodynamic and structural correlations in long-term experimental diabetic rats, 840
Increased peritoneal permeability in rats with alloxan-induced diabetes mellitus, 720
Platelet coagulant activities in diabetes mellitus. Evidence for a relationship between platelet coagulant hyperactivity and platelet volume, 82
Diet
Increasing dietary calcium moderates experimental gentamicin nephrotoxicity, 104
Disease
Duodenogastric reflux in patients with gastric ulcer disease, 14
Dog
Clearance and metabolism of plasma pyridoxal 5′-phosphate in the dog, 59
Nondenaturing quantification of subforms of canine MM creatine kinase isoenzymes (isoforms) and their interconversion, 470
Dowex
Measurement of low angiotensin concentrations after ethanol and Dowex extraction procedures, 304

E

Elastin
Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Electrophysiology
The state of cardiac electrophysiology—1983, 833
Elutriation
Isolation of human megakaryocytes by density centrifugaiton and counterflow cetrigual elutriation, 811
Endothelial cells
Bacterial adherence to fibronectin and endothelial cells: A possible mechanism for bacterial tissue tropism, 34
Endotoxin
Endotoxin protects selenium-deficient rats from hyperoxia, 143
Environments
Comparative effects of germfree and ambient environments on the development of cystic kidney disease in CFW_{sd} mice, 399
Epinephrine
Inhibition of epinephrine-exacerbated coronary thrombus formation by prostacyclin in the dog, 204
Erythrocyte
Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
Human fibronectin is an opsonin for IgG antibody-coated sheep erythrocytes, 613
Increased erythrocyte susceptibility to lipid peroxidation in myeloproliferative disorders, 6
Erythropoiesis
Erythropoiesis in the aged mouse: I. Response to stimulation in vivo, 574
Erythropoiesis in the aged mouse: II. Response to stimulation in vitro, 581
Erythropoietin
Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922
Ethanol
Measurement of low angiotensin concentration after ethanol and Dowex extraction procedures, 304
Exercise
Effects of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677

F

Factor
Growth hormone-releasing factor: A neuroendocrine perspective, 819
Factor XII
Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408
Fibrin
Effect of crosslinking on the structure of solubilized fibrin degradation products in whole plasma, 695

Fibrinolysis
Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408
Fibronectin
Bacterial adherence to fibronectin and endothelial cells: A possible mechanism for bacterial tissue tropism, 34
Human fibronectin is an opsonin for IgG antibody-coated sheep erythrocytes, 613
Fibrosis
Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Fluids
Quantitation of spreading factor in human biologic fluids, 783
Folate
Aspirin and folate binding: In vivo and in vitro studies of serum binding and urinary excretion of endogenous folate, 944
Fractions
Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922

G

Gentamicin
Increasing dietary calcium moderates experimental gentamicin nephrotoxicity, 104
Glomerular basement membrane
Stainable glomerular basement membrane polyanions and renal hemodynamics during hexamethrine-induced proteinuria, 632
Glomerulus
Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922
Decreased ultrafiltration coefficient of glomeruli isolated from volume-depleted rats, 363
Glomerular hemodynamic and structural correlations in long-term experimental diabetic rats, 840
Glutathione
Relationship of glutathione levels and Heinz body formation to irreversibly sickled cells in sickle cell anemia, 589
Granulocyte
Plasma lactoferrin reflects granulocyte activation via complement in burn patients, 284
Pneumococcal-indcued pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180
Growth
Growth hormone-releasing factor: A neuroendocrine perspective, 819

H

Haementeria ghilianii
Hementin: Anticoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44
Hageman factor
See factor XII
Heart
Free and conjugated plasma catecholamines in patients with congestive heart failure, 393
The state of cardiac electrophysiology—1983, 833
Heinz body
Relationship of glutathione levels and Heinz body formation to irreversibly sickled cells in sickle cell anemia, 589
Hementin
Hementin: Antiocoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44
Hemochromatosis
Transferrin receptor function in hereditary hemochromatosis, 246
Hemodialysis
Objective assessment of heparin requirements for hemodialysis in humans, 643
Hemolysates
Diagnostic evaluation of phosphoribosylpyrophosphate synthetase activities in hemolysates, 932
Hemophilia
Some complications of the therapy of classic hemophilia, 653
Heparin
Clinical usefulness of testing for a heparin-dependent platelet-aggregating factor in patients with suspected heparin-associated thrombocytopenia, 606
Objective assessment of heparin requirements for hemodialysis in humans, 643
Hepatic
Neuropsychiatric status after liver transplantation, 776
A new method for the measurement of intrahepatic shunts, 446
Role of kidney and liver in degradation of circulating submaxillary renin in mice, 125
Hexadimethrine
Stainable glomerular basement membrane anions and renal hemodynamics during hexadimethrine-induced proteinuria, 632
Hormone
Growth hormone-releasing factor: A neuroendocrine perspective, 819
Natriuretic hormones: At last, bottled in bond? 333
5-Hydroxytryptamine
Platelet 5-hydroxytryptamine release and aggregation promoted by cotton bracts tannin, 152

Hyperactivity
Platelet coagulant activites in diabetes mellitus. Evidence for a relationship between platelet coagulant hyperactivity and platelet volume, 82
Hyperkalemia
Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432
Hyperoxia
Endotoxin protects selenium-deficient rats from hyperoxia, 143
Hypoxia
Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922

I

Immunofluorescence
Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534
Immunoglobulin
Human fibronectin is an opsonin for IgG antibody-coated sheet erythrocytes, 613
Human immunoglobulin biosynthesis in a serum-free medium, 739
Immunoreactive
Immunoreactive tissue kallikrein in human serum, 731
Indomethacin
Effect of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677
Inhibition
Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560
Selective inhibition by phenytoin of chemotactic factor–stimulated neutrophil functions, 22
Insulin
Assessment of insulin resistance and its role in non–insulin-dependent diabetes mellitus, 497
Interaction
Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869
Intestine
In vivo determination of intestinal calcium absorption, with scandium-47 used as marker, 354
Iron
Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524
Iron stores in adults with sickle cell anemia, 792
Phenolic ethylenediamine derivatives: A study of orally effective iron chelators, 337
Ischemia
Attenuation of injury due to unilateral renal ischemia: Delayed effects of contralateral nephrectomy, 193
Progressive renal insufficiency induces increasing protection against ischemic acute renal failure, 511
Islet
Cryopreservation of pancreatic islet cells, 768
Isodesmosine
Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay fro desmosine and isodesmosine, 384
Isoenzymes
Nondenaturing quantification of subforms of canine MM creatine kinase isoenzymes (isoforms) and their interconversion, 470
Isoforms
Nondenaturing quantification of subforms of canine MM creatine kinase isoenzymes (isoforms) and their interconversion, 470

K

Kallikrein
Immunoreactive tissue kallikrein in human serum, 731
α-Ketoisovaleric acid
Oral administration of α-ketoisovaleric acid or valine in humans: Blood kinetics and biochemical effects, 597
Kidney
Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432
Angiotensin and prostaglandin interactions in cultured kidney tubules, 255
Attenuation of injury due to unilateral renal ischemia: Delayed effects of contralateral nephrectomy, 193
Biologic and immunologic erythropoietin in extracts from hypoxic rat whole kidneys and in their glomerular and tubular fractions, 922
Comparative effects of germfree and ambient environments on the development of cystic kidney disease in CFW_{wd} mice, 399
Decreased ultrafiltration coefficient of glomeruli isolated from volume-depleted rats, 363
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
Effect of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677
Glomerular hemodynamic and structural correlations in long-term experimental diabetic rats, 840

Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549
Nephrotoxicity of lysine and a single dose of aminoglycoside in rats given lysine, 660
Objective assessment of heparin requirements for hemodialysis in humans, 643
Physiochemical characterization of the urinary lipid from humans with nephrotic syndrome, 798
Progressive renal insufficiency induces increasing protection against ischemic acute renal failure, 511
Role of kidney and liver in degradation of circulating submaxillary renin in mice, 125
Stainable glomerular basement membrane polyanions and renal hemodynamics during hexadimethrine-induced proteinuria, 632

Kinase
Protein kinase activities in human prostatic secretion: Biochemical characterizations and effect of prostatitis, 950

L

Lactoferrin
Plasma lactoferrin reflects granulocyte activation via complement in burn patients, 284

Lens
Gas chromatographic analysis of lens monosaccharides, 137

Leukostasis
Pneumococcal-induced pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180

Ligation
Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549

Light scattering
Quantitative assessment of platelet morphology by light scattering: A potential method for the evaluation of platelets for transfusion, 620

Lipid
Physiochemical characterization of the urinary lipid from humans with nephrotic syndrome, 798

Liver
The influence of aminoglycoside antibiotics on the in vitro function of rat liver ribosomes, 294
Neuropsychiatric status after liver transplantation, 776
A new method for the measurement of intrahepatic shunts, 446
Role of kidney and liver in degradation of circulating submaxillary renin in mice, 125

Lung
The lung and its receptors, 161

Lymphocytes
The uptake of vitamin B_{12} by human lymphocytes and the relationships to the cell cycle, 70

Lysine
Nephrotoxicity of lysine and of a single dose of aminoglycoside in rats given lysine, 660

M

Medium
Human immunoglobulin biosynthesis in a serum-free medium, 739

Megakaryocytes
Isolation of human megakaryocytes by density centrifugation and counterflow centrigual elutriation, 811

Merthiolate
Sodium ethylmercurithiosalicylate (Merthiolate) inhibition of antigen-antibody interactions in radioimmunoassay systems, 223

Metalloendopeptidase
Identification of a thermolysin-like metalloendopeptidase in serum: Activity in normal subjects and in patients with sarcoidosis, 420

Method
A new method for the measurement of intrahepatic shunts, 446

Mineral acid
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854

Mineralocorticoids
Aldosterone and other mineralcorticoids in Bartter's syndrome, 848

Mononuclear cell
Human mononuclear cell factors supress contractility of isolated mouse soleus muscle, 886

Monosaccharides
Gas chromotographic analysis of lens monosaccharides, 137

Muscle
Human mononuclear cell factors suppress contractility of isolated mouse soleus muscle, 886

Myelodysplastic
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894

Myeloproliferative disorders
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Increased erythrocyte susceptibility to lipid peroxidation in myeloproliferative disorders, 6
Studies of platelet density abnormality in myeloproliferative disease, 373

N

Natriuretic hormones
Natriuretic hormones: At last, bottled in bond? 333
Natural killer
Protease inhibition of natural killer (NK) and antibody-dependent cell-mediated cytoxicity (ADCC) activities, 215
Nephrectomy
Attenuation of injury due to unilateral renal ischemia: Delayed effects of contralateral nephrectomy, 193
Nephrotic syndrome
Physiochemical characterization of the urinary lipid from humans with nephrotic syndrome, 798
Nephrotoxicity
Increasing dietary calcium moderates experimental gentamicin nephrotoxicity, 104
Nephrotoxicity of lysine and a single dose of aminoglycoside in rats given lysine, 660
Neuroendocrine
Growth hormone-releasing factor: A neuroendocrine perspective, 819
Neutropenia
Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878
Neuropsychiatric
Neuropsychiatric status after liver transplantation, 776
Neutrophil
Uncoupling of the beta adrenergic receptor as a mechanism of in vitro neutrophil desensitization, 322
Selective inhibition by phenytoin of chemotactic factor–stimulated neutrophil functions, 22

O

Opsonin
Human fibronectin is an opsonin for IgG antibody-coated sheep erythrocytes, 613
Osteomalacia
Short-term aluminum administration in the rat: Reductions in bone formation without osteomalacia, 749

P

Pancreas
Cryopreservation of pancreatic islet cells, 768
Pathway
Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408
Peritoneal
A C5a inhibitor in peritoneal fluid, 227
Increased peritoneal permeability in rats with alloxan-induced diabetes mellitus, 720
Permeability
Increased peritoneal permeability in rats with alloxan-induced diabetes mellitus, 720
Peroxidation
Increased erythrocyte susceptibility to lipid peroxidation in myeloproliferative disorders, 6
pH
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
Phenolic ethylenediamine
Phenolic ethylenediamine derivatives: A study of orally effective iron chelators, 337
Phenytoin
Selective inhibition by phenytoin of chemotactic factor–stimulated neutrophil functions, 22
Phosphoribosylpyrophosphate
Diagnostic evaluation of phosphoribosylpyrophosphate synthetase activities in hemolysates, 932
Plasma
Effect of crosslinking on the structure of solubilized fibrin degradation products in whole plasma, 695
Free and conjugated plasma catecholamines in patients with congestive heart failure, 393
Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869
Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560
Plasminogen
Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408
Platelet
Clinical usefulness of testing for a heparin-dependent platelet-aggregating factor in patients with suspected heparin-associated thrombocytopenia, 606
Correlation between prolonged bleeding time and depletion of platelet dense granule ADP in patients with myelodysplastic and myeloproliferative disorders, 894
Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869
Platelet adhesion to noncovalently immobilized collagen, 236
Platelet coagulant activites in diabetes mellitus. Evidence for a relationship between platelet coagulant hyperactivity and platelet volume, 82
Platelet cytoskeleton: Immunofluorescence studies on ADP and collagen-activated platelets, 534

Quantitative assessment of platelet morphology by light scattering: A potential method for the evaluation of platelets for transfusion, 620
A quantitative method for studying platelet adhesion to collagen, 758
Studies of platelet density abnormality in myeloproliferative disease, 373

Pneumococci
Pneumococcal-induced pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180

Polyanions
Stainable glomerular basement membrane polyanions and renal hemodynamics during hexadimethrine-induced proteinuria, 632

Polymorphonuclear leukocyte
Cytochalasin B facilitates the inhibition of human polymorphonuclear leukocyte generation of superoxide by verapamil, 949

Potassium
Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
Extrarenal potassium transport and the β_2-adrenergic system, 912

Prorenin
Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560

Prostacyclin
Inhibition of epinephrine-exacerbated coronary thrombus formation by prostacyclin in the dog, 204

Prostaglandin
Angiotensin and prostaglandin interactions in cultured kidney tubules, 255
Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549

Prostrate gland
Protein kinase activities in human prostatic secretion: Biochemical characterization and effect of prostatitis,

Protease
Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524
Hementin: Anticoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44
Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560
Protease inhibition of natural killer (NK) and antibody-dependent cell-mediated cytoxicity (ADCC) activities, 215

Protein
Protein kinase activities in human prostatic secretion: Biochemical characterization and effect of prostatistis, 905

Proteinuria
Stainable glomerular basement membrane polyanions and renal hemodynamics during hexadimethrine-induced proteinuria, 632

Pseudomonas aeruginosa
Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878

Pulmonary
Measurement of cross-linked elastin synthesis in bleomycin-induced pulmonary fibrosis using a highly sensitive assay for desmosine and isodesmosine, 384
Pneumococcal-induced pulmonary leukostasis and hemodynamic changes: Role of complement and granulocytes, 180

Pyridoxal 5′-phosphate
Clearance and metabolism of plasma pyridoxal 5′-phosphate in the dog, 59

R

Radioimmunoassay
Characterization of a specific anti–human urokinase antibody: Development of a sensitive competition radioimmunoassay for urokinase antigen, 684
The measurement of cyancobalamin in serum by a specific radioimmunoassay, 959
Sodium ethylmercurithiosalicylate (Merthiolate) inhibition of antigen-antibody interactions in radioimmunoassay systems, 223

Receptor
Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
The lung and its receptors, 161
Transferrin receptor function in hereditary hemochromatosis, 246
Uncoupling of the beta adrenergic receptor as a mechanism of in vitro neutrophil desensitization, 322

Reflux
Duodenogastric reflux in patients with gastric ulcer disease, 14

Renal
Amelioration of metabolic acidosis by dietary potassium restriction in hyperkalemic patients with chronic renal insufficiency, 432
Attenuation of injury due to unilateral renal ischemia: Delayed effects of contralateral nephrectomy, 180
Biologic and immunologic erythropoietin in extracts from hypoxic whole rat kidneys and in their glomerular and tubular fractions, 922

Comparative effects of germfree and ambient environments on the development of cystic kidney disease in CFW_{cd} mice, 399
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
Glomerular hemodynamic and structural correlations in long-term experimental diabetic rats, 840
Importance of renal prostaglandins in control of renal function after chronic ligation of the common bile duct in dogs, 549
Nephrotoxicity of lysine and a single dose of aminoglycoside in rats given lysine, 660
Objective assessment of heparin requirements for hemodialysis in humans, 643
Physiochemical characterization of the urinary lipid from humans with nephrotic syndrome, 798
Progressive renal insufficiency induces increasing protection against ischemic acute renal failure, 511
Stainable glomerular basement membrane polyanions and renal hemodynamics during hexadimenthrine-induced proteinuria, 632

Renin
Effect of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677
Prorenin-renin conversion by the contact activation system in human plasma: Role of plasma protease inhibitors, 560
Role of kidney and liver in degradation of circulation submaxillary renin in mice, 125

Research
When things are not as they seem, 491

Resistance
Assessment of insulin resistance and its role in non-insulin-dependent diabetes mellitus, 497

Rheumatoid
Serum levels of Cl subunits in rheumatoid arthritis, 313

Ribosomes
The influence of aminoglycoside antibiotics on the in vitro function of rat liver ribosomes, 294

Rifampin
Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878

S

Salicylate
Plasma levels of salicylate and aspirin in healthy volunteers: Relevance to drug interaction on platelet function, 869

Salivary
Hementin: Anticoagulant protease from the salivary gland of the leech *Haementeria ghilianii*, 44
Rheology of sputum collected by a simple technique limiting salivary contamination, 347

Sarcoidosis
Identification of a thermolysin-like metalloendopeptidase in serum: Activity in normal subjects and in patients with sarcoidosis, 420

Scandium-47
In vivo determination of intestinal calcium absorption, with scandium-47 used as marker, 354

Sclerosis
Pathogenesis of progressive systemic sclerosis, 506

Selenium
Endotoxin protects selenium-deficient rats from hyperoxia, 143

Serine
Blood coagulation and acute iron toxicity. Reversible iron-induced inactivation of serine proteases in vitro, 524

Serum
Aspirin and folate binding: In vivo and in vitro studies of serum binding and urinary excretion of endogenous folate, 944
Human immunoglobulin biosynthesis in a serum-free medium, 739
Identification of a thermolysin-like metalloendopeptidase in serum: Activity in normal subjects and in patients with sarcoidosis, 420
Immunoreactive tissue kallikrein in human serum, 731
The measurement of cyancobalamin in serum by a specific radioimmunoassay, 959

Shunts
A new method for the measurement of intrahepatic shunts, 446

Sickle cell
Characteristics of I and i antigen receptors on the membrane of erythrocytes in sickle cell anemia, 712
Iron stores in adults with sickle cell anemia, 792
Relationship to glutathione levels of Heinz body formation to irreversibly sickled cells in sickle cell anemia, 589

Sodium
Effects of indomethacin on active and inactive renin in sodium-replete men at rest and during exercise, 677

Sodium ethylmercurithiosalicylate
Sodium ethylmercurithiosalicylate (Merthiolate) inhibition of antigen-antibody interactions in radioimmunoassay systems, 223

Soleus
Human mononuclear cell factors suppress contractility of isolated mouse soleus muscle, 886
Spreading factor
Quantitation of spreading factor in human biologic fluids, 783
Sputum
Rheology of sputum collected by a simple technique limiting salivary contamination, 347
Superoxide
Cytochalasin B facilitates the inhibition of human polymorphonuclear leukocyte generation of superoxide by verapamil, 949
Synthetase
Diagnostic evaluation of phosphoribosylpyrophosphate synthetase activities in hemolysates, 932
Systemic
Pathogenesis of progressive systemic sclerosis, 506

T

Tannin
Platelet 5-hydroxytryptamine release and aggregation promoted by cotton bracts tannin, 152
Thermolysin
Identification of a thermolysin-like metalloendopeptidase in serum: Activity in normal subjects and in patients with sarcoidosis, 420
Thrombocytopenia
Clinical usefulness of testing for a heparin-dependent platelet-aggregating factor in patients with suspected heparin-associated thrombocytopenia, 606
Thrombus
Inhibition of epinephrine-exacerbated coronary thrombus formation by prostacyclin in the dog, 204
Ticarcillin
Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878
Tobramycin
Addition of rifampin to ticarcillin-tobramycin combination for the treatment of *pseudomonas aeruginosa* infections: Assessment in a neutropenic mouse model, 878
Transferrin
Transferrin receptor function in hereditary hemochromatosis, 246
Transfusion
Quantitative assessment of platelet morphology by light scattering: A potential method for the evaluation of platelets for transfusion, 620
Transplantation
Neuropsychiatric status after liver transplantation, 776
Transport
Extrarenal potassium transport and the β_2-adrenergic system, 912
Tropism
Bacterial adherence to fibronectin and endothelial cells: A possible mechanism for bacterial tissue tropism, 34
Tubules
Angiotensin and prostaglandin interactions in culture kidney tubules, 255

U

Ulcer
Duodenogastric reflux in patients with gastric ulcer disease, 14
Ultrafiltration
Decreased ultrafiltration coefficient of glomeruli isolated from volume-depleted rats, 363
Urokinase
Characterization of a specific anti–human urokinase antibody: Development of a sensitive competition radioimmunoassay for urokinase antigen, 684
Intrinsic plasma fibrinolysis: Involvement of urokinase-related activity in the factor XII–independent plasminogen proactivator pathway, 408

V

Valine
Oral administration of α-ketoisovaleric acid or valine in humans: Blood kinetics and biochemical effects, 597
Verapamil
Cytochalasin B facilitates the inhibition of human polymorphonuclear leukocyte generation of superoxide by verapamil, 949
Vitamin B_{12}
The uptake of vitamin B_{12} by human lymphocytes and the relationships to the cell cycle, 70
Vitamin D
Influence of aging on vitamin D absorption and unstirred water layer dimensions in the rat, 462
Volume depletion
Effect of extracellular volume depletion on renal regulation of acid-base and potassium equilibrium during prolonged mineral acid administration, 854
von Willebrand
Correlation between circulating levels of von Willebrand's antigen II and von Willebrand factor: Discrimination between type I and type II von Willebrand's disease, 704

W

Warfarin
Changes in the pharmacology of warfarin during long-term adminstration in dogs, 272
Water
Influence of aging on vitamin D absorption and unstirred water layer dimensions in the rat, 462